

XS

Ignite

A Better You



A Fiery Trio To Ignite A Better You



A new zest for health & fitness: Meet the Moro Blood Orange

Originating from the southeast of Sicily, Italy, the Moro Blood Orange or Citrus Sinensis (L.) Osbeck is the most highly pigmented of citrus varieties.¹
It is a precious ingredient coveted for its nutritious value.

Cultivated in the nutrient-rich volcanic soil of Italy's Mount Etna



Rich in antioxidants (~9.6mg anthocyanins per 100g)²

Thrives in varying temperatures (hot days, cold nights)



Intense aroma & strong flavour


Dark purplish red flesh due to high content of anthocyanins



Less acidic & slightly sweeter tasting than normal oranges



A Fiery Trio To Ignite A Better You



What is Morosil?

Morosil is a standardised solid extract obtained only from the juice of Moro Blood Oranges.

Clinical findings have proven that Morosil:

Reduces fat formation³



Improves body composition¹


Reduces body weight & BMI¹



Reduces waist & hip circumference¹



MOROSIL supplementation has been shown to induce a significant reduction of body weight, BMI, waist and hip circumference after a period of treatment of 12 weeks.^{1,3}



*Activity of Morosil as evaluated in a randomised, double-blind, placebo-controlled clinical trial carried out on 102 volunteers with a BMI between 25 and 30kg/m² treated with 400mg/day of Morosil for 12 weeks



A Fiery Trio To Ignite A Better You

What is Isomaltulose?

As a fully digestible, slow-release carbohydrate, Isomaltulose offers a slower, lower and sustained rise in blood glucose compared to other sugars.

Extensive research has shown that Isomaltulose helps in weight management and sports nutrition:



Provides a steady energy supply⁴



Sustains the body for a longer time compared to other sugars⁴



Increases endurance for sports training or workouts⁴



Boosts metabolism for natural fat burning^{5 6 7}



Provides a feeling of fullness for longer⁵





A Fiery Trio To Ignite A Better You

What is L-Glutamine?

L-Glutamine is a type of amino acid, a building block for protein in the human body.

Studies have indicated that L-Glutamine can help:



Promote fat burning^{8 11}



Increase lean body tissue & muscle tissue hydration for reduced muscle fatigue⁹




Promote muscle strength & recovery¹⁰

NOTE: Heavy exercise and certain medical conditions – injuries, infections, stress, surgery – may lower the body's glutamine levels.



Our Combination for the Ultimate Body Transformation



We applaud your commitment in your weight loss journey – we can tell.
Now, let us help you get even closer to the body of your dreams!

For best results, complement your diet and exercise with two supplements
that work great together...



Moro Blood Orange

Shapes your ideal body

- Anthocyanins
- Flavonoids
- Hydroxycinnamic acid
- Ascorbic acid

- Reduces fat accumulation^{12 13 14 15}

- ✓ Improves body composition
- ✓ Reduces body weight
- ✓ Reduces BMI
- ✓ Reduces waist and hip circumference
- ✓ Reduces fat accumulation
- ✓ Promotes fat burning when taken before workout



Green Tea Extract

Boosts metabolism & well-being

- Epigallocatechin gallate (EGCG)

- Breaks down fat & releases energy from fat into the bloodstream^{16 17 18 19 20}
- Increases energy expenditure²⁰

- ✓ Increases fat loss (abdomen)
- ✓ Fight free radicals
- ✓ Better control of cholesterol, triglycerides & fasting glucose levels
- ✓ Increases basal metabolic rate (BMR), boosts metabolism

Before meal/workout

Key Ingredient

What it does

Active components


How it works

Results (May vary for individuals)


Usage

With/After meal

Break The Unhealthy Cycle



References



1. www.morosil.bionap.com
2. Fallico B, Ballistreri G, Arena E, Brighina S, Rapisarda P. Bioactive compounds in blood oranges (*Citrus sinensis* (L.) Osbeck): Level and intake. *Food Chem.* 2017 Jan 15;215:67-75. doi: 10.1016/j.foodchem.2016.07.142. Epub 2016 Jul 27. PMID: 27542451.
3. Briskey D, Malfa GA, Rao A. Effectiveness of "Moro" Blood Orange *Citrus sinensis* Osbeck (Rutaceae) Standardized Extract on Weight Loss in Overweight but Otherwise Healthy Men and Women-A Randomized Double-Blind Placebo-Controlled Study. *Nutrients.* 2022 Jan 18;14(3):427. doi: 10.3390/nu14030427. PMID: 35276783; PMCID: PMC8838101.
4. <https://isomaltulose.org/energy-sports-nutrition/sports-athletes/>
5. <https://www.rosnutrition.com/uk/insight/knowledge-centre/isomaltulose-low-gi-carbohydrate>
6. Lightowler H, Schweitzer L, Theis S, Henry CJ. Changes in Weight and Substrate Oxidation in Overweight Adults Following Isomaltulose Intake During a 12-Week Weight Loss Intervention: A Randomized, Double-Blind, Controlled Trial. *Nutrients.* 2019; 11(10):2367. <https://doi.org/10.3390/nu11102367>
7. Henry CJ, Kaur B, Quek RYC, Camps SG. A Low Glycaemic Index Diet Incorporating Isomaltulose Is Associated with Lower Glycaemic Response and Variability, Promotes Fat Oxidation in Asians. *Nutrients.* 2017 May 9;9(5):473. doi: 10.3390/nu9050473. PMID: 28486426; PMCID: PMC5452203
8. Laviano A, Molino A, Lacaria MT, Canelli A, De Leo S, Preziosa I, Rossi Fanelli F. Glutamine supplementation favors weight loss in nondieting obese female patients. A pilot study. *Eur J Clin Nutr.* 2014 Nov;68(11):1264-6. doi: 10.1038/ejcn.2014.184. Epub 2014 Sep 17. PMID: 25226827.
9. Mittendorfer B, Volpi E, Wolfe RR. Whole body and skeletal muscle glutamine metabolism in healthy subjects. *Am J Physiol Endocrinol Metab.* 2001 Feb;280(2):E323-33. doi: 10.1152/ajpendo.2001.280.2.E323. PMID: 11158937; PMCID: PMC3425386
10. Legault Z, Bagnall N, Kimmerly DS. The Influence of Oral L-Glutamine Supplementation on Muscle Strength Recovery and Soreness Following Unilateral Knee Extension Eccentric Exercise. *Int J Sport Nutr Exerc Metab.* 2015 Oct;25(5):417-26. doi: 10.1123/ijsem.2014-0209. Epub 2015 Mar 26. PMID: 25811544
11. Cruzat V, Macedo Rogerio M, Noel Keane K, Curi R, Newsholme P. Glutamine: Metabolism and Immune Function, Supplementation and Clinical Translation. *Nutrients.* 2018 Oct 23;10(11):1564. doi: 10.3390/nu10111564. PMID: 30360490; PMCID: PMC6266414.
12. Lee, Bonggi et al. "Anthocyanins inhibit lipogenesis during adipocyte differentiation of 3T3-L1 preadipocytes." *Plant foods for human nutrition (Dordrecht, Netherlands)* vol. 69,2 (2014): 137-41. doi:10.1007/s11130-014-0407-z
13. Titta, L et al. "Blood orange juice inhibits fat accumulation in mice." *International journal of obesity* (2005) vol. 34,3 (2010): 578-88. doi:10.1038/ijo.2009.266
14. Tsuda, Takanori et al. "Anthocyanin enhances adipocytokine secretion and adipocyte-specific gene expression in isolated rat adipocytes." *Biochemical and biophysical research communications* vol. 316,1 (2004): 149-57. doi:10.1016/j.bbrc.2004.02.031
15. de Lima, Lucas Pinheiro and Antony de Paula Barbosa. "A review of the lipolytic effects and the reduction of abdominal fat from bioactive compounds and moro orange extracts." *Helijen* 7 (2021): n. pag.
16. Wolfram, Sven et al. "Anti-obesity effects of green tea: from bedside to bench." *Molecular nutrition & food research* vol. 50,2 (2006): 176-87. doi:10.1002/mnfr.200500102
17. Cunha, Cláudio A et al. "Green tea extract supplementation induces the lipolytic pathway, attenuates obesity, and reduces low-grade inflammation in mice fed a high-fat diet." *Mediators of inflammation* vol. 2013 (2013): 635470. doi:10.1155/2013/635470
18. Yang, Chung S et al. "Mechanisms of body weight reduction and metabolic syndrome alleviation by tea." *Molecular nutrition & food research* vol. 60,1 (2016): 160-74. doi:10.1002/mnfr.201500428
19. Koo, Sung I, and Sang K Noh. "Green tea as inhibitor of the intestinal absorption of lipids: potential mechanism for its lipid-lowering effect." *The journal of nutritional biochemistry* vol. 18,3 (2007): 179-83. doi:10.1016/j.jnutbio.2006.12.005
20. Di Pierro, Francisco et al. "Greenselect Phytosome as an adjunct to a low-calorie diet for treatment of obesity: a clinical trial." *Alternative medicine review : a journal of clinical therapeutic* vol. 14,2 (2009): 154-60.

XS

超燃不囤积
健康好有型



XS

超燃三重奏

展现健康有型的你

全新清新风味展现健康和健美：
认识摩洛血橙

摩洛血橙或学名 Citrus Sinensis (L.) Osbeck 原产于意大利西西里岛东南部，是柑橘之中色素含量最高的品种¹。这是一种珍贵的成分，因其营养价值而备受推崇。

意大利埃特纳火山
富含营养的土壤栽种



在迥然不同的温度
下茁壮成长(白天
炙热，夜间寒冷)



果肉呈深紫红色，
因含有大量的花青素



富含抗氧化物(每 100
克含有~9.6 毫克花青
素)²

浓密而强烈的
香息



口感比一般橙子较没
那么酸，而且稍微甜
一点



超燃三重奏

展现健康有型的你



什么是 Morosil?

Morosil 血橙萃取物是一种仅提取自摩洛血橙汁的标准化固体精华素。

临床上的发现证实 Morosil 能：

减少脂肪形成³



减少体重和身体质量指数 (BMI)¹



改善身体组成¹



减少腰围和臀围¹



MOROSIL 辅助品已显示在经过为期 12 周的护理后能显著减少体重、BMI、腰围和臀围^{1,3}。

体重



腰围



臀围



3 个月

Morosil
-3.3%

安慰剂
-2.1%

6 个月

Morosil
-4.2%

安慰剂
-2.3%

Morosil
-3.6%

安慰剂
-2.0%

Morosil
-2.8%

安慰剂
-1.9%

*在 102 名志愿者进行的随机、双盲、安慰剂对照临床试验中评估 Morosil 的活性，BMI 介于 25 和 30kg/m² 之间，每天服用 400 毫克 Morosil 为期 12 周。



超燃三重奏

展现健康有型的你

什么是异麦芽酮糖？

它是一种可完全消化、缓慢释放的碳水化合物。与其他糖类相比，异麦芽酮糖提供较缓慢、较低和上升持续一致的血糖。

已有许多研究显示异麦芽酮糖有助于体重管理和运动营养：



提供稳定的能量
供应⁴



与其他糖类相比能支援
身体更长的时间⁴



增加运动训练或锻炼时
的耐力⁴



促进新陈代谢进行
天然燃脂^{5 6 7}



提供更长久的
饱足感⁵



XS

超燃三重奏

展现健康有型的你

什么是左旋谷氨酰胺？

左旋谷氨酰胺是一种氨基酸，是人体内蛋白质的重要建构基础。

研究已显示左旋谷氨酰胺有助于：



促进燃脂^{8 11}



增加瘦体组织和肌肉
组织的水分滋润以减少
肌肉疲劳⁹



促进肌肉强度和
复原¹⁰

注意：剧烈运动和某些医疗状况 – 受伤、感染、压力、手术皆可能会降低身体的左旋谷氨酰胺水平。



展开 终极身体健美转型 的组合



我们深深赞赏您对塑身减重之旅做出的承诺 – 我们完全可看得出您的决心。
现在，让我们助您一把，让您更接近您的梦想身材！

欲取得最佳效果，不妨在您的饮食和运动之中补充能一起发挥良好功效的
两种辅助品…



摩洛血橙

为你塑造理想身段

- 花青素
- 类黄酮素
- 羟基肉桂酸
- 抗坏血酸

- 减少脂肪囤积^{12 13 14 15}

- ✓ 改善身体组成
- ✓ 减少体重
- ✓ 减少 BMI
- ✓ 减少腰围和臀围
- ✓ 减少脂肪囤积
- ✓ 在锻炼前摄取可促进燃脂

饭前/锻炼前

主要成分

它的作用

活性成分

如何发挥效用

效果 (可能因人而异)

用法

绿茶精华素

促进新陈代谢和整体安康


- 表没食子儿茶素没食子酸酯 (EGCG)

- 分解脂肪，以及从脂肪释放能量进入血液内^{16 17 18 19 20}
- 提升能量消耗²⁰

- ✓ 增加脂肪流失 (腹部)
- ✓ 对抗自由基
- ✓ 更好地控制胆固醇、甘油三酯和空腹时血糖水平
- ✓ 提升基础代谢率 (BMR)、促进新陈代谢

进餐时/饭后

打破 不健康的循环



参考资料



1. www.morosil.bionap.com
2. Fallico B, Ballistreri G, Arena E, Brighina S, Rapisarda P. Bioactive compounds in blood oranges (*Citrus sinensis* (L.) Osbeck): Level and intake. *Food Chem.* 2017 Jan 15;215:67-75. doi: 10.1016/j.foodchem.2016.07.142. Epub 2016 Jul 27. PMID: 27542451.
3. Briskey D, Malfa GA, Rao A. Effectiveness of "Moro" Blood Orange *Citrus sinensis* Osbeck (Rutaceae) Standardized Extract on Weight Loss in Overweight but Otherwise Healthy Men and Women-A Randomized Double-Blind Placebo-Controlled Study. *Nutrients.* 2022 Jan 18;14(3):427. doi: 10.3390/nu14030427. PMID: 35276783; PMCID: PMC8838101.
4. <https://isomaltulose.org/energy-sports-nutrition/sports-athletes/>
5. <https://www.rosnutrition.com/uk/insight/knowledge-centre/isomaltulose-low-gi-carbohydrate>
6. Lightowler H, Schweitzer L, Theis S, Henry CJ. Changes in Weight and Substrate Oxidation in Overweight Adults Following Isomaltulose Intake During a 12-Week Weight Loss Intervention: A Randomized, Double-Blind, Controlled Trial. *Nutrients.* 2019; 11(10):2367. <https://doi.org/10.3390/nu1102367>
7. Henry CJ, Kaur B, Quek RYC, Camps SG. A Low Glycaemic Index Diet Incorporating Isomaltulose Is Associated with Lower Glycaemic Response and Variability, Promotes Fat Oxidation in Asians. *Nutrients.* 2017 May 9;9(5):473. doi: 10.3390/nu9050473. PMID: 28486426; PMCID: PMC5452203
8. Laviano A, Molino F, Lacaria MT, Canelli A, De Leo S, Preziosa I, Rossi Fanelli F. Glutamine supplementation favors weight loss in nondiabetic obese female patients. A pilot study. *Eur J Clin Nutr.* 2014 Nov;68(11):1264-6. doi: 10.1038/ejcn.2014.184. Epub 2014 Sep 17. PMID: 25226827.
9. Mittendorfer B, Volpi E, Wolfe RR. Whole body and skeletal muscle glutamine metabolism in healthy subjects. *Am J Physiol Endocrinol Metab.* 2001 Feb;280(2):E323-33. doi: 10.1152/ajpendo.2001.280.2.E323. PMID: 11158937; PMCID: PMC3425386
10. Legault Z, Bagnall N, Kimmerly DS. The Influence of Oral L-Glutamine Supplementation on Muscle Strength Recovery and Soreness Following Unilateral Knee Extension Eccentric Exercise. *Int J Sport Nutr Exerc Metab.* 2015 Oct;25(5):417-26. doi: 10.1123/ijsnem.2014-0209. Epub 2015 Mar 26. PMID: 25811544
11. Cruzat V, Macedo Rogero M, Noel Keane K, Curi R, Newsholme P. Glutamine: Metabolism and Immune Function, Supplementation and Clinical Translation. *Nutrients.* 2018 Oct 23;10(11):1564. doi: 10.3390/nu10111564. PMID: 30360490; PMCID: PMC6266414.
12. Lee, Bonggi et al. "Anthocyanins inhibit lipogenesis during adipocyte differentiation of 3T3-L1 preadipocytes." *Plant foods for human nutrition (Dordrecht, Netherlands)* vol. 69,2 (2014): 137-41. doi:10.1007/s11130-014-0407-z
13. Titta, L et al. "Blood orange juice inhibits fat accumulation in mice." *International journal of obesity (2005)* vol. 34,3 (2010): 578-88. doi:10.1038/ijo.2009.266
14. Tsuda, Takanori et al. "Anthocyanin enhances adipokine secretion and adipocyte-specific gene expression in isolated rat adipocytes." *Biochemical and biophysical research communications* vol. 316,1 (2004): 149-57. doi:10.1016/j.bbrc.2004.02.031
15. de Lima, Lucas Pinheiro and Antony de Paula Barbosa. "A review of the lipolytic effects and the reduction of abdominal fat from bioactive compounds and moro orange extracts." *Heliyon* 7 (2021): n. pag.
16. Wolfram, Swen et al. "Anti-obesity effects of green tea: from bedside to bench." *Molecular nutrition & food research* vol. 50,2 (2006): 176-87. doi:10.1002/mnfr.200500102
17. Cunha, Cláudio A et al. "Green tea extract supplementation induces the lipolytic pathway, attenuates obesity, and reduces low-grade inflammation in mice fed a high-fat diet." *Mediators of inflammation* vol. 2013 (2013): 635470. doi:10.1155/2013/635470
18. Yang, Chung S et al. "Mechanisms of body weight reduction and metabolic syndrome alleviation by tea." *Molecular nutrition & food research* vol. 60,1 (2016): 160-74. doi:10.1002/mnfr.201500428
19. Koo, Sung I, and Sang K Noh. "Green tea as inhibitor of the intestinal absorption of lipids: potential mechanism for its lipid-lowering effect." *The Journal of nutritional biochemistry* vol. 18,3 (2007): 179-83. doi:10.1016/j.jnutbio.2006.12.005
20. Di Pierro, Francisco et al. "Greenselect Phytosome as an adjunct to a low-calorie diet for treatment of obesity: a clinical trial." *Alternative medicine review : a journal of clinical therapeutic* vol. 14,2 (2009): 154-60.